

OCONTO COUNTY HIGHWAY COMMISSION
SINGLE TRIP OVERSIZE/OVERWEIGHT VEHICLE PERMIT
APPLICATION

To transport a nondivisible load exceeding statutory size and/or weight on county highways.
 This form cannot be used for permitting mobile homes/modular building sections or buildings.
 s.348.26(2),(3) Wis. Stats.

PO Box 138, VanDyke St
 Oconto, WI 54153
 Phone: 920-834-6886
 Fax: 920-834-6887
 Fee: \$75.00
 Make checks payable to Oconto County Highway Dept

Section A - Customer Please print clearly or type.

Legal Name - Vehicle Owner or Lessee		Desired Effective Date	
Doing Business As (D/B/A)		Contact Name	
Mailing Address		Telephone number	Fax Number
City	State	Zip Code	Email address

Section B - Insurance - The customer has sufficient insurance coverage in full force and effect. Check group A or Group B
 Group A - Combined Single Limit \$750,000
 Group B - Combined Single Limit \$1,000,000
 Certificate of insurance is attached as proof

Section C - Load - Describe Article(s) Transported

Required: Is your load radioactive? Yes No

Section D - Vehicles

Power unit - Both Plate/State and VIN must be identified

Plate	State	Vehicle Identification Number (VIN)	<input type="checkbox"/> Truck-tractor <input type="checkbox"/> Truck <input type="checkbox"/> Other:	Year	Make	Axles	Unit
-------	-------	-------------------------------------	---	------	------	-------	------

Towed Vehicles - Either Plate/State or VIN must be identified

Plate	State	Vehicle Identification Number (VIN)	Semi- trailer	Full trailer	Dollies	Other	Year	Make	Axles	Unit

Section E - Size

	Power Unit	Towed Vehicles	Load	Front Overhang				Overall		
Length	Ft. in.	Ft. in.	Ft. in.	Ft. in.				Ft. in.	Ft. in.	
Width				Ft. in.					Ft. in.	Ft. in.
Height									Ft. in.	Ft. in.

Are Gross Vehicle Weight and Axle Weight both legal?

Yes - Skip Section F
 No - Complete Section F - Give overall weight:

Section F - Axle Weight/Spacing - Tires - by axle, front to rear

Axle Number	1(Front)	2	3	4	5	6	7	8	9
Number of Pneumatic Tires									
Requested Gross Axle Weight When Loaded (lbs.)									
Spacing Between Axles (Ft. in.)									
Axle Number	10	11	12	13	14	15	16	17	18
Number of Pneumatic Tires									
Requested Gross Axle Weight When Loaded (lbs.)									
Spacing Between Axles (Ft. in.)									

Section G - Trip: Permits issued by the Oconto County Highway Commission authorize movement on county truck highways ONLY.

Original Trip	From City, Village, Township	To City, Village, Township	Via Highways
	Via Highways - continued		
Return Trip	Are the return dimensions and route the same as the "Original Trip"? <input type="checkbox"/> Yes <input type="checkbox"/> No, On a second application, complete Sections A, B, E, F, and G		

Acceptance of Conditions:

I, the applicant, certify that the statements contained in the application are true and correct, that I have read and understood the conditions which are a part of and attached to this form, and that if granted a permit, I will comply with all terms and conditions.

X

Customer or Authorized Agent

Date

See General Conditions and Permit Approval attached.

Permit Number:

By:

OCONTO COUNTY HIGHWAY COMMISSION
SINGLE TRIP OVERSIZED/OVERWEIGHT VEHICLE PERMIT APPLICATION

PERMIT APPROVAL

Permission is hereby granted to the applicant to transport on the described vehicle or vehicles the load described in this application (including any approved amendments thereof), subject to applicable statutes and regulations, and subject to the conditions which are part of and attached to this form, with the following special conditions required:

<input type="checkbox"/> Police Escort(s) <input type="checkbox"/> Ahead <input type="checkbox"/> Behind	<input type="checkbox"/> Times of Operation : to <input type="checkbox"/> :Daylight hours only
<input type="checkbox"/> Private Escort(s) <input type="checkbox"/> Ahead <input type="checkbox"/> Behind	
Applicant shall make arrangements with the Oconto County Sheriff's Dept. (920-834-6900) for escort at least 48 hours before move.	

Special Conditions:

Approved for movement on Oconto County Highways By:		Effective Date		Expiration Date
Title	Date	Fee Paid \$75	<input type="checkbox"/> Cash <input type="checkbox"/> Check #	Permit Number

OCONTO COUNTY HIGHWAY COMMISSION
SINGLE TRIP OVERTIME/OVERWEIGHT VEHICLE PERMIT APPLICATION
GENERAL CONDITIONS

To Transport Nondivisible Loads Exceeding Statutory Size and/or Weight Limits

Adapted from Wisconsin Department of Transportation form MV2605 394 (changes are shown in bold font).

The following conditions apply to operations under all single trip permits issued under s. 348.26(2) Wisconsin Statutes and Ch. Trans 254 Wisconsin Administrative Code, unless and exemption is specifically stated.

1. **PERMIT APPLICATION.** (1) Oconto County does not issue permits for the use of U.S. or state trunk highways. An application for a permit for the use of a state trunk highway within the geographical boundaries of Oconto County shall be submitted to the Wisconsin Department of Transportation in the manner prescribed by the department.
(2) A request for an extension of a permit may be made anytime until the third day after the permit's expiration date.
2. **SUFFICIENCY.** The issuance of a permit is not a guarantee of the sufficiency of any highway or structure for the transporting of the vehicle, load, or vehicle and load.
3. **VEHICLE COMBINATIONS.** A permit may not authorize the operation of more than 2 vehicles in combination. This does not prohibit the use of dollies to support or assist in supporting one or both ends of a trailer.
4. **PERMIT VALIDITY.** (1) A permit is valid only for the vehicle described in the application and permit. (2) A permit is valid only on the route specified in the permit. (3) A permit may not be used in combination with a multiple trip permit to authorize the movement of an oversize or overweight vehicle, load, or vehicle and load. (4) An oversize or overweight vehicle may not be operated on a highway, whether loaded or empty, at any time that the permit is not valid.
5. **RETURN TRIP.** A permit is valid only for the movement specified in the permit, which may include the return trip on the reverse route if requested and approved, and which includes the movement of the empty vehicle, whether or not oversize or overweight, to and from the place of pickup or delivery of the permitted load.
6. **ROADWAY LIMITATIONS.** (1) An issuing authority may suspend a permit, or any of its conditions, because of seasonal highway conditions. Examples of seasonal highway conditions include spring thaw, flooding and traffic congestion. (2) A permit is not valid during periods when adverse weather or road conditions, such as fog, smoke, heavy rain, snow or ice, or wind velocity, impair the safety of a movement under the permit.
7. **POSTED ROADS AND BRIDGES.** No condition of a permit may modify any law or regulation limiting loads because of local conditions, including load limits on bridges and highways, seasonal weight restrictions, or load limits imposed because of construction.
8. **VEHICLE REGISTRATION.** (1) A vehicle operating under a permit shall be registered as required by Wisconsin Statutes, and shall be registered at not less than the permit weight or at the maximum available registration weight, whichever is less. (2) All other operational permits required by the Wisconsin Department of Transportation, the office of the commissioner of transportation, or other agencies having jurisdiction shall be obtained.
9. **CARRY PERMIT.** The driver of a vehicle operating under a permit shall carry the permit in the vehicle to which it applies and shall have the permit available for inspection by any police officer, representative of the issuing authority, or person in charge of the maintenance of the highway being used.
10. **OPERATING REQUIREMENTS.** (1) The driver of a vehicle operating under a permit shall, whenever reasonable and practicable, maintain a distance of not less than 1,000 feet between the permitted vehicle and any vehicle the driver is following, unless actually engaged in overtaking and passing another vehicle. (2) The driver of a vehicle operating under a permit shall allow traffic approaching or overtaking the permitted vehicle to pass, where it is safe to do so. (3) The right wheels of the towed unit may not leave the roadway, except to allow traffic to pass. A "roadway" does not include paved or unpaved shoulders.
11. **SPEED.** Except as provided in Condition (12), or unless a lower speed is specified in the permit, a vehicle operating under a permit may be operated at the posted speed limit.
12. **SPEED RESTRICTION FOR LOADS 16 FEET OR WIDER.** The maximum speed of any vehicle with a load 16 feet or wider operating on highways without paved shoulders shall be 35 miles per hour.
13. **DIMENSIONS.** (1) The maximum size, axle, axle combination, and total weight limitations authorized by a permit may not be exceeded. (2) Property transported under a permit shall be loaded to minimize its size and weight. (3) An oversize vehicle used for transporting loads under a permit shall be reduced to legal size whenever possible when being operated without load. (4) A load transported under a permit may not extend beyond the front of the power unit, beyond the left fender line of the transporting vehicle, or more than six inches beyond the right fender of the transporting vehicle, unless the overhang is minimized by suitable positioning of the load upon the vehicle.
14. **LOADING LIMITATIONS.** (1) Vehicles and loads which, when reasonably divided, would not be oversize or overweight, may not be transported under the permit. (2) Loads which, when reasonably repositioned on the transporting vehicle would not be oversize or overweight, may not be transported under the permit. (3) Loads consisting of more than one article, none of which are oversize, may not be transported under the permit. (4) Loads consisting of more than one article, one or more of which are oversize, may be transported under a permit only if (a) the vehicle and load is not overweight, and (b) the other articles transported do not cause the vehicle and load to be oversize in any manner differently from the largest single article. (5) The load shall be properly secured and fastened to the transporting vehicle. (6) Wheels on one side of a transporting vehicle may not carry more than 60% of the total gross load.
15. **LIGHTING.** (1) All required lamps shall be illuminated whenever a vehicle is operated during hours of darkness. (2) All lamps shall be visible at a distance of 500 feet. (3) An oversize vehicle, or a vehicle with an oversize load operating during the hours of darkness, shall be equipped with the following additional lamps:

OVERWIDTH vehicle or vehicle load: (a) At the outermost extremity of the foremost edge of the projecting load, an amber lamp visible from the front and side; (b) At the outermost extremity at the rearmost edge of the projecting load, a red lamp visible from the rear and side; (c) Any portion of an overwidth load extending beyond the width of the foremost or rearmost edge of the vehicle or load, shall be marked with an amber lamp visible from the front, both sides, and rear; (d) The overwidth portion of a load measuring 3 feet or less from front to rear, shall be marked with an amber lamp visible from the front, both sides and rear, except that if the overwidth projection is located at or near the rear, it shall be marked by a red lamp visible from front, both sides and rear.

OVERLENGTH vehicle or oversize load which extends more than 4 feet beyond the rear of the vehicle: (a) On each side of the projecting load, 1 red lamp, visible from the side, located so as to indicate maximum overhang; (b) On the rear of the projecting load, 2 red lamps, visible from the rear, 1 at each side and 2 red reflectors visible from the rear, 1 at each side, located so as to indicate maximum width.

16. **WARNING LAMPS.** When required by a permit, warning lamps shall be operated as required by Ch. Trans 254.10(2) Wis. Admin. Code.
17. **WARNING FLAGS.** (1) When a vehicle, load, or vehicle and load is overlength, a single flag shall be fastened at the extreme rear of the load if the overlength or projecting portion is 2 feet wide or less. (2) When a vehicle, load, or vehicle and load is overlength, 2 flags shall be fastened at the rear of the load to indicate maximum width if the overlength or projecting portion is wider than 2 feet. (3) When a vehicle, load, or vehicle and load is overwidth, a flag shall be fastened at each front and rear corner of the load. In addition, if any part of the load is more than 4 inches wider than the width of load or vehicle at the front or rear, a flag shall be placed at the widest point of the load. (4) Each flag shall be solid red or orange in color, and not less than 18 inches square. (5) In order to wave freely, flags shall be securely fastened by at least one corner or securely mounted on a staff.
18. **WARNING SIGNS.** (1) When a vehicle, load, or vehicle and load, is more than 10 feet wide or is overlength, 2 warning signs shall be displayed. One sign shall be fastened at the front of the power unit and the other at either the rear of the towed unit or at the rear of the load. (2) Each sign shall state, in black letters on a yellow background, "OVERSIZE LOAD," and may not be less than 7 feet long and 18 inches high. The letters of the sign may not be less than 10 inches high with a brush stroke of not less than 1.4 inches. (3) The sign message may not be displayed when the vehicle is not operating under the permit.
19. **HAZARD MARKERS.** (1) When required by the conditions of a permit, black and white or black and yellow diagonally striped reflectorized hazard markers, not less than 12 inches wide by 36 inches high, shall be fastened to, or in front of and behind the load, so as to be fully visible to traffic approaching from both the front and rear of the vehicle. (2) All hazard markers shall be located at right angles to the centerline of the vehicle so as to indicate the widest part of the load on each side of the vehicle.
20. **TIMES OF OPERATION-OVERWEIGHT.** Except as otherwise specified in a permit, a vehicle, load, or vehicle and load that is overweight, but not oversize, may operate 24 hours a day, including weekends and holidays.
21. **TIMES OF OPERATION-OVERWIDTH 12 FEET OR LESS.** Except as otherwise specified in a permit, no oversize vehicle or vehicle combination operating under a permit that is equal to or less than 12 feet in width, 13 1/2 feet in height, and 100 feet in length, may be operated (1) between 4:00 p.m. and 11:00 p.m. on Sunday; (2) between 4:00 p.m. and 11:00 p.m. on Friday between the 4th Friday in May and Labor Day; (3) between 4:00 p.m. and 11:00 p.m. on any holiday, or, when Independence Day falls on Sunday, on the following Monday; (4) between 4:00 p.m. and 11:00 p.m. on the day before any holiday, except that this restriction does not apply to Independence Day when it falls on a Sunday.
22. **TIMES OF OPERATION-OVERWIDTH GREATER THAN 12 FEET.** In addition to the limitations provided in Condition (21), no oversize vehicle or vehicle combination operating under a permit that exceeds 12 feet in width, 13 1/2 feet in height, or 100 feet in length, may operate (1) during the hours of darkness; (2) during the period beginning at 12:00 noon on the day preceding and continuing until sunrise on the day following every Sunday and holiday.
23. **NOT USED**
24. **DISCRETIONARY AUTHORITY.** An issuing authority may issue a permit for times other than those specified in Conditions (20), (21), (22) or (23), under extraordinary circumstances when, in the opinion of the issuing authority, public health and welfare is better served, and may impose additional conditions to promote the safe operation of the vehicle and load.
25. **NOT USED**
26. **OTHER ROADS.** A permit issued by the Oconto County Highway Commission for a movement which is partly on the county trunk highway system and partly on other classes of highways is valid only on county highways. [Obtain permission from the Wisconsin Department of Transportation and/or local authorities to travel other roads.]
27. **LIABILITY.** (1) In applying for and accepting a permit, a permittee agrees to: (a) pay any claim for any bodily injury or property damage resulting from operation under the permit for which the permittee is legally responsible; (b) hold the county, its subdivisions, officers, employees and agents harmless from any claim which may arise from operation over public highways under the permit. (2) Whether or not insurance, bond, or deposit as set forth in Ch. Trans 254.14(7) Wis. Admin. Code is required, the permittee shall be liable for all damages which any highway or its appurtenances may sustain by reason of any operation under the permit.
28. **LIABILITY INSURANCE.** The following insurance amounts are required: (1) When the permitted load does not exceed 12 feet in width, 13 1/2 feet in height, or 100 feet in length and is not overweight by more than 25 percent:

Bodily injury liability-each person	\$150,000
Bodily injury liability-each accident.....	\$450,000
Property damage liability-each accident.....	\$300,000

 OR \$750,000 combined single limit

 (2) When the permitted load exceeds the size or weight limitations in par. (1):

Bodily injury liability-each person	\$200,000
Bodily injury liability-each accident.....	\$600,000
Property damage liability-each accident.....	\$400,000

 OR \$1,000,000 combined single limit
29. **OVERHEIGHT - WIRES AND CABLES.** When a vehicle operating under a permit is overheight, the permittee shall give prior notice to the owners of overhead wires, cables or other facilities which may be affected.



Wisconsin Department of Transportation

Oversize Overweight Permit Unit

Minimum Standards for Escort Vehicles

Applies to all loads transported under permit except SM and MH permit types.



		Width of Load(up to Noted Width)												
		Legal(8'6)	9'	10	11	12	13	14	15	16	17	18	19	>20
Length of Load(up to Noted Length)		Legal(75')	Width <= 12 ft		Width > 12 ft and <= 15 ft			Width > 15 ft and <= 18 ft			Width > 18 ft and <= 20 ft		Width > 20 ft	
		80	No Escorts		No Escorts*			1 Private Escort*			1 Private Escort and 1 Law Enforcement*			
		90												
		100												
		110	Length <= 140 feet		Length <= 110 feet			Length > 110'						
		120												
		130												
		140												
		150	Length > 140 ft and <= 160 ft		1 Private Escort*									
		160												
		170	Length > 160 ft and <= 200 ft					2 Private Escorts*						
		180												
		190												
		200	Length > 200 ft					2 Private Escorts and 1 Law Enforcement*						
		210												
		220												
		225												
		230												
		240												
		250												
		>250												

Note on weight: Loads greater than 350,000 lbs shall have one Law Enforcement escort.

Note on height: Loads greater than 16'-0" shall have a pole vehicle.

Pole vehicle shall be in addition to escort requirements above; however, the total number of private escorts including pole vehicle will not exceed two.

Specialty lighting and flag requirements: When transporting a load using Schnabel and/or dolly combinations so the load is carried or suspended between the tractor or jeep and the trailing equipment, and results in a combination where the load itself becomes the trailer, the following lighting and flagging standards must be followed. <https://wisconsindot.gov/Documents/dmv/com-drv-vehs/mtr-car-trkr/light-flag-req.pdf>

* Additional escorts may be added based on route complexity and turns, and/or traffic conditions

SM Permit Escort Requirements

Roof Width Measured at Bottom of Roof Line

Between 12'01" and 16'00"- No escort required unless travelling on a highway listed on the Form MV2740 "Escort Highways"

[MV2740](#)

Greater than 16'00"-Private Escort(s) required: One behind on divided highways, one ahead and one behind on non-divided highways.

Box Width Outside to Outside; No Exceptions for Protrusions

Between 12'01" and 15'00"- No escort required unless travelling on a highway listed on the Form MV2740 "Escort Highways"

[MV2740](#)

Greater than 15'00"-Private Escort(s) required: One behind on divided highways, one ahead and one behind on non-divided highways.

MH Permit Escort Requirements

No Escort Required Unless

Travelling on a Highway listed on the Form MV2740 "Escort Highways" [MV2740](#)

Any part of the vehicle or load extends beyond the left of the roadway centerline on 2-way roadways.

Any part of the vehicle or load extends beyond the left edge of the right lane on highways with more than 2 lanes.

If Escort is required, escort shall be One private; ahead on non-divided highways and behind on divided highways