

# Oconto County Lakes Project

## MAIDEN LAKE STUDY SUMMARY REPORT

2018

*University of Wisconsin-Stevens Point and  
Oconto County Staff and Citizens*

### Oconto County Lakes Project Reports:

**State of the  
Oconto County  
Lakes**

Lake Study  
Summary  
Reports

**Operational Strategy and  
Plan for Surface Water  
Management and  
Protection**


Lake  
Management  
Plans

Center for Watershed Science and Education  
College of Natural Resources  
University of Wisconsin-Stevens Point




# Background

- Maiden Lake is a 278-acre drainage lake in northern Oconto County with a maximum depth of 52 feet.
- Water enters Maiden Lake from a small tributary (and groundwater) leading from Little Maiden Lake and leaves via a small tributary leading to Camp Lake. Surface water runoff and direct precipitation also contribute water.
- Visitors have access to the lake from one public boat landing.
- This report summarizes data collected during the 2016-2017 lake study.




**Township of Riverview**  
**Surface Area: 278 acres**  
**Maximum Depth: 52 feet**



# Water Quality


**Nutrients** such as phosphorus and nitrogen are what feed aquatic plants and algae in a lake. Excessive amounts of nutrients delivered to a lake will result in abundant plant and algae growth. Disturbance within a watershed combined with the landscape's inability to infiltrate and filter runoff is what primarily delivers nutrients to a lake.

- Total Phosphorus remained well below the Wisconsin state phosphorus standard of 30 ug/L for deep drainage lakes during the two-year study. The long-term trend (based on July data) is slightly increasing.
- Inorganic nitrogen (0.06 mg/L) remained below the threshold of 0.3 mg/L when algal blooms increase.
- Chlorophyll-a, an indirect measure of algae, remained well below 6 ug/L and appears stable.



# Water Quality


Sufficient **dissolved oxygen** in lake water is essential to the survival of aquatic organisms. The amount of dissolved oxygen present within a lake varies by season and depth. It is determined by the biological activity that consumes or produces oxygen, by water mixing through wind, changes in temperature, and inputs of surface and groundwater. Generally, at least 5 mg/L oxygen is required for fish.



- Sufficient oxygen is available in the top 30 feet of the water column in Maiden Lake throughout the year.
- Bumps in dissolved oxygen concentrations at 15-30 feet suggest mild algal activity.

Lake water **temperature** has a significant impact on water chemistry, spatial distribution of fish, microbial growth and oxygen content.


- The temperature gradient in Maiden Lake exhibits a clear thermocline between 20 and 30 feet during the growing season that separates warmer oxygen-rich water at the top from colder oxygen-poor water below.




# Water Quality



**Water clarity** is a measure of how deep light can penetrate (Secchi depth). Clarity is affected by water color, turbidity (suspended sediment), and algae. Water clarity helps determine where rooted aquatic plants can grow. It is typical for water clarity to vary throughout the year.



- The graph to the left shows water clarity measurements taken between April and November.
- During 2016-17, on average, the poorest water clarity in Maiden Lake was in July and the best was in May. This is consistent with previous observations and demonstrates an increasing depth trend over the long term (based on July data).



# Water Quality

**Other chemistry** data was collected from lake water samples, such as basic cations, pollutants and acid rain input, and physical parameters. Results of such analyses can provide insights into a variety of other potential impacts to the lake. While concentrations of these compounds in lake water is usually low, higher concentrations can be indicators of other potential issues.

- Concentrations of potassium (1.9 mg/L), chloride (1.1 mg/L) and sodium (1.7 mg/L) were all low. This suggests minimal impact from septic systems, road salt, animal waste and fertilizers.
- DACT, a screening tool to determine if your lake is being impacted by pesticides, was not detected.
- Water in Maiden Lake is hard (135 mg/L CaCO<sub>3</sub>), having a high level of dissolved minerals. Hard water lakes tend to produce more fish and aquatic plants than soft water lakes and have clearer water as the minerals tend to bind with phosphorus making it unavailable to algae blooms.




*For more information on how to interpret  
your lake's water quality data, please refer to  
the "State of the Oconto County Lakes  
Report" that is on file with Oconto County.*

# Watershed

**Groundwater** provides water to lakes in Oconto County throughout the entire year. Hard surfaces on the landscape prevent water from soaking into the ground and becoming groundwater. This results in less water flowing to the lake during snowmelt and rain events. Water that does not infiltrate to groundwater becomes **surface runoff** flowing across the surface of the landscape where it can move sediment and contaminants to the lake from within its watershed.

## Maiden Lake Surface Watershed & Groundwater Flow




The quality of groundwater reflects what is happening on the land surface. Precipitation falling on forests produces clean groundwater, whereas precipitation falling on land that has chemical use can leach contaminants to groundwater. Groundwater contamination may include nitrogen, pesticides, herbicides and other soluble chemicals originating from septic systems, crops, barnyards, road de-icing, etc. Once in the groundwater, these chemicals move slowly towards a lake or river.

# Shorelands

**Shoreland vegetation** is critical to a healthy lake's ecosystem. It provides habitat for many aquatic and terrestrial animals including birds, frogs, turtles, and many small and large mammals. It also helps to improve the quality and quantity of the runoff that flows across the landscape towards the lake. Healthy shoreland vegetation includes a mix of tall, native grasses/flowers, shrubs and trees.

- Shorelands around Maiden Lake were surveyed in August 2017. Much of Maiden Lake's shoreland is healthy, but many stretches are in need of restoration.


Total lakefront footage	No. Riparian lots	Measured shoreland disturbance (feet)	Measured shoreland disturbance (%)
27,187	168	9,517	35%



## State Shoreland Zoning Ordinance NR 115 Wisc. Adm. Code for Unincorporated Municipalities

No vegetation within 35 feet of the lake's edge shall be removed except for:



- Up to 30% of shoreline may be removed of shrubs and trees for a view corridor
- A mowed or constructed pedestrian path up to 5 feet wide to access lake



## What Can You Do to Help Maiden Lake?

- Leave natural shoreland vegetation in place or restore if it has been removed.
- Learn to identify and look for invasive plants and animals and know who to contact if found.
- Do not purchase prohibited and restricted species. Purchase native plants when possible.
- Never transplant water garden or aquarium plants into lakes, streams or wetlands. Properly dispose of them.
- Remove invasive exotic plants from your landscape and replace them with native plants or non-invasive exotics. Scout regularly for new invasive plants.
- Avoid using garden plants from other regions whose invasive potential is poorly understood.

# Shorelands




Modifications, Structures, Erosion	Measured Occurrence
Artificial Beach	205 ft
Rip Rap	8,052 ft
Sea Wall	445 ft
Impervious Surface	281 ft
Mowed Lawn	4,980 ft
Erosion	38 ft
Nonconforming Buildings	109
Piers	199
Coarse Woody Habitat	145 logs/mile

# Aquatic Plants

**Aquatic plants** are the forest landscape within a lake. They provide food and habitat for terrestrial and aquatic creatures such as fish, ducks, turtles, invertebrates and other animals. They increase oxygen levels in the water and utilize nutrients that would otherwise be used by algae. A healthy lake typically has a variety of aquatic plant species creating diversity that can help to prevent the establishment of aquatic invasive species.


- The aquatic plant community in Maiden Lake is characterized high quality vegetation with a floristic quality index (27.7) above the regional average. A total of 34 species were observed in the 2016 survey.
- During the 2016 aquatic plant survey of Maiden Lake, 30% of the sites had vegetative growth. The maximum depth of vegetation was 23 feet.
- The most frequently encountered plant species were chara (96%), nitella (12%), and slender naiad (6%). All three species are native to Wisconsin.

Maiden Lake Aquatic Plant Survey 2016:  
Rake Fullness



Center for Watershed Science and Education  
College of Natural Resources  
University of Wisconsin-Stevens Point


Maiden Lake Aquatic Plant Survey 2016:  
Total Number of Species



Center for Watershed Science and Education  
College of Natural Resources  
University of Wisconsin-Stevens Point

# Aquatic Plants


## Maiden Lake Aquatic Plant Survey 2016: Muskgass (Chara spp.)



**Chara** is a type of macro algae that grows attached to muddy lake bottoms and has a musky odor. Muskgrass, as it is known, filters the lake water and is helpful in preventing the establishment of invasive species.



## Maiden Lake Aquatic Plant Survey 2016: Nitella (Nitella spp.)



Like chara, **nitella** is a macroalgae that similarly grows along lake bottoms and can benefit a lake by filtering nutrients from water and preventing establishment of invasive species.




# Aquatic Plants

**Aquatic invasive species** are non-native aquatic plants and animals that are most often unintentionally introduced into lakes by lake users. In some lakes, aquatic invasive plant species can exist as a part of the plant community, while in other lakes populations explode, creating dense beds that can make areas non-navigable, inhibit activities like swimming and fishing, and disrupt the lakes' ecosystems.

Eurasian water-milfoil was observed in one location during the July 2016 aquatic plant survey.

- Eurasian water-milfoil (EWM) was documented in Maiden Lake in 1998.
- The Banded mystery snail and Rusty crayfish have also been previously documented in Maiden Lake.

## Maiden Lake Aquatic Plant Survey 2016: Eurasian water-milfoil (*Myriophyllum spicatum*)



**Eurasian water-milfoil** is one of the most common invasive aquatic plants in Wisconsin. It can form dense mats that choke out native plants and inhibit navigation. New plants can grow from stem fragments that root on contact with the substrate.



**Banded mystery snail**, native to the southeast United States, can compete with native snails for food and habitat, serve as a host for parasites, and are known to invade largemouth bass nests.



# Acknowledgments

This report was prepared as an appendix to the Oconto County State of the Lakes Report, which is on file with the Oconto County Land Conservation Department.

Written and prepared by the Center for Watershed Science and Education at the University of Wisconsin-Stevens Point.

## Primary Authors

Ryan Haney and Paul McGinley

## Acknowledgments

We are grateful to our project partners for supporting this project by providing insight, enthusiasm, and funding:

Maiden Lake Club Association, Inc.

Oconto County Lakes and Waterways Association

Oconto County Land Conservation Department – Ken Dolata

Oconto County Staff and Citizens

UW Extension-Oconto County – Dale Mohr

Wisconsin Department of Natural Resources – Brenda Nordin

Wisconsin Department of Natural Resources Lake Protection Grant Program

UW-Stevens Point Water and Environmental Analysis Lab



Center for Watershed Science and Education  
College of Natural Resources  
**University of Wisconsin-Stevens Point**

